

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	32	"5144201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 12:45
L2	11	"6307321"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 12:45
L3	2	"6054811"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 12:46
L9	28168	distance with (electrodes or tips) and (lamp or light or load) and density	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:17
L10	12982	l9 and @pd<="20021213"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:17
L11	44	l10 and mm and (mg/mm or g/cm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:18
L12	6478	l10 and mm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:20
L13	6478	l12 and @pd<="20021213"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:20
L14	86902	(vessel or envelop\$1) and ceramic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:21

L15	741	I13 and I14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:21
L16	116584	"313"/\$7.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:21
L17	136	I15 and I16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 14:21
L18	2	"20010038267"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:35
L19	0	I18 and ceramic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:35
L20	1	I18 and mercury with gas	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:35
L21	0	I20 and vessel and density	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:36
L22	0	I20 and density	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:36
L23	2	"20020117968"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:39
L24	11397	pressure near4 lamp and density	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:41

L25	149663	ceramic and medium	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:41
L26	1741	l24 and l25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:41
L27	918993	mercury and gas ad l26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:41
L28	1007	mercury and gas and l26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:42
L29	326	l28 and @pd<="20021213"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:42
L30	202	(tips or electrodes) and l29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 15:42
L31	0	l20 and density	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 16:02
L32	7730	vessel and ceramic and space and (electrodes or tips) and density	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 16:04
L33	1526	l32 and lamp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 16:04
L34	132	l33 and mercury with gas	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 16:05

L35	53	l34 and @pd<="20021213"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 16:05
L36	0	l35 and density near4 mercury	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 16:11
L37	53	l35 and density and mercury	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 16:11
L38	5	l35 and density with vessel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 16:11
L39	563	l33 and @pd<="20021213"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 16:14
L40	2	"654430" and (crystalline or amorphous)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 16:38
L41	34	"654430"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 16:39
L42	713342	l41and (crystalline or amorphous)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 16:39
L43	2	l41 and (crystalline or amorphous)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 16:39
L44	3	l41 and (crystalline or amorphous or glass)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 16:39

L45	0	l41 and ionic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 16:39
L46	1	l41 and bond	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 16:40
L47	2583	(density or distance) with (vessel or envelope) and ceramic and (electrodes or tips)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 16:41
L48	415	mm and mg and l47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 16:41
L49	183	l48 and @pd<="20021213"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 16:42
L50	2	"20020117968"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 17:17
S1	417	315/46.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:37
S2	134	315/47.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:38
S3	320	315/49.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:38
S4	316	315/50.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:38

S5	323	313/620.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:38
S6	1102	313/623.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:38
S7	589	313/491.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:38
S8	244	313/492.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:38
S9	1423	313/493.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:38
S10	1762	313/639-643.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:39
S11	11	(lamp or light or load) with (vessel or envelope or enclour\$3) with ceramic and (electrodes or tips) same mm and mercury near4 density with mg	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:40
S12	18	(lamp or light or load) with (vessel or envelope or enclour\$3) with ceramic and (electrodes or tips) and mercury near4 density	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:55
S13	50	(lamp or light or load) with (vessel or envelope or enclour\$3) and ceramic and (electrodes or tips) and mercury near4 density	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:55
S14	1738	(lamp or light or load) with (vessel or envelope or enclour\$3) and ceramic and (electrodes or tips) and density	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:55

S15	2	S1 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:56
S16	5	S2 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:56
S17	2	S3 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:56
S18	1	S4 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:56
S19	12	S5 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:56
S20	60	S6 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:56
S21	19	S7 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:56
S22	2	S8 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:56
S23	42	S9 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:56
S24	74	S10 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:56

S25	11	S11 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:56
S26	18	S12 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:56
S27	50	S13 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:56
S28	313	S4 and @pd<="20021213"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 06:57
S29	82010	distance with (electrodes or tips) and (lamp or light or load)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 09:08
S30	313	S28 and @pd<="20021213"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 09:09
S31	88540	(electrodes or tips) with mm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 09:09
S32	6	S30 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 09:10
S33	683	(distance with (tips))with mm and lamp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 09:13
S34	279	S33 and @pd<="20021213"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 09:13

S35	60	feed with (tips or electrodes) and lamp and density with mg	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 09:34
S36	20	S35 and @pd<="20021213"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 09:34
S37	23	mercury adj density same mg and lamp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 09:35
S38	5	S37 and ionizable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 10:44
S39	6	S30 and ionizable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/08/06 10:44

8/ 6/ 08 6:38:43 PM

C:\Documents and Settings\MA\My Documents\EAST\Workspaces\11538107.wsp